


**CATALOGO
CONFIGURAZIONI
STANDARD**

***STANDARD
CONFIGURATION
CATALOGUE***




CONFIGURAZIONE BASE 1600
BASIC CONFIGURATION 1600

COD. 3DP99W00IEX


COLORAZIONI | COLORS

- Nero sablè - Anti impronta
Black sablè - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE
OVERALL SIZE



DATI TECNICI
TECHNICAL DATA



Modulo 6 cassetti:
• 4x Cassetti da H 71 mm
• 1x Cassetto da H 142 mm
• 1x Cassetto da H 239 mm
(dim. interne L 588 x P 567 mm)

6 drawers module:
• 4x Drawers H 71 mm
• 1x Drawer H 142 mm
• 1x Drawer H 239 mm
(internal dim. W 588 x D 567 mm)

 **PORTATA / CAPACITY**
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina
Oil/fuel proof cover


Modulo spazzatura + Servizi arrotolatore aria 8 mt
M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e
portacarta
L 800 x P 700 x H 930
Garbage module + Services air reel 8 mt M. 3/8"
BSP, electrical reel 10 mt 1600 W and paper
holder
W 800 x D 700 x H 930

Alzatina anticaduta H 40 mm
Fall-protection panel H 40 mm



Modulo 6 cassetti
L 800 x P 700 x H 930
(dim. interne L 588 x P 567)

6 drawers module
W 800 x D 700 x H 930
(internal dim. W 588 x D 567)





* Utensili non inclusi / Tools not included

Struttura autoportante
Self-supporting structure


Pannelli forati portautensili
L 800 x P 25 x H 450
Perforated tool panels
W 800 x D 25 x H 450



CONFIGURAZIONE 1600 CON PANNELLI FORATI
CONFIGURATION 1600 WITH PERFORATED PANELS
COD. 3DP99W06IFT



*Inclusi 40 ganci lunghezza 40 mm
*Including 40 hooks length 40 mm



CONFIGURAZIONE 1600 CON PENSILI A DUE ANTE
CONFIGURATION 1600 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W05IFT

Pensili a due ante
L 800 x P 350 x H 450
Two-door wall cabinets
W 800 x D 350 x H 450


Pannelli ciechi
L 800 x P 25 x H 450
Solid panels
W 800 x D 25 x H 450





CONFIGURAZIONE 1600 CON SERRANDA
CONFIGURATION 1600 WITH ROLLER SHUTTER
 COD. 3DP99W07IFT

*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm
 * Including 40 hooks of 60 mm and 10 hooks of 80 mm



CONFIGURAZIONE BASE 2050


BASIC CONFIGURATION 2050

COD. 3DP99W01IFQ


COLORAZIONI | COLORS

- Nero sablé - Anti impronta
Black sablé - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE OVERALL SIZE



DATI TECNICI TECHNICAL DATA



Cassettiera mobile 7 cassetti:

- 6x Cassetti da H 71 mm
 - 1x Cassetto da H 239 mm
- (dim. interne L 588 x P 367 mm)
4 ruote girevoli, 2 con freno

Rollercab 7 drawers:

- 6x Drawers H 71 mm
 - 1x Drawer H 239 mm
- (internal dim. W 588 x D 367 mm)
4 swivel wheels, 2 with brake

PORTATA / CAPACITY
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina

Oil/fuel proof cover

Alzatina anticaduta H 40 mm

Fall-protection panel H 40 mm

Cassettiera mobile 7 cassetti con
n° 2 portaflaconi. Piano in ABS
L 800 x P 475 x H 930
(dim. interne L 588 x P 367 mm)

Rollercab 7 drawers with n° 2 holders.

ABS worktop

W 800 x D 475 x H 930

(internal dim. W 588 x D 367 mm)

* Utensili non inclusi / *Tools not included*

Maniglie in alluminio

Aluminium handles

Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore
corrente 10 mt 1600 W e portacarta
L 433 x P 700 x H 930

*Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt
1600 W and paper holder
W 433 x D 700 x H 930*

Modulo 4 cassetti
L 800 x P 700 x H 930
(dim. interne L 588 x P 567 mm)



*4 drawers module
W 800 x D 700 x H 930
(internal dim. W 588 x D 567 mm)*

Struttura autoportante
Self-supporting structure



Pannelli forati portautensili
L 1024 x P 25 x H 450
Perforated tool panels
W 1024 x D 25 x H 450



CONFIGURAZIONE 2050 CON PANNELLI FORATI
CONFIGURATION 2050 WITH PERFORATED PANELS
COD. 3DP99W08IFU



*Inclusi 40 ganci lunghezza 40 mm
*Including 40 hooks length 40 mm



CONFIGURAZIONE 2050 CON PENSILI A DUE ANTE
CONFIGURATION 2050 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W09IFU

Pensili a due ante
L 1024 x P 350 x H 450
Two-door wall cabinets
W 1024 x D 350 x H 450

Pannelli ciechi
L 1024 x P 25 x H 450
Solid panels
W 1024 x D 25 x H 450



Serranda con avvolgibile in alluminio
L 2050 x P 200 x H 900

Aluminium roller shutter unit
W 2050 x D 200 x H 900

Pannelli forati portautensili interni

Perforated internal tool panels



Struttura autoportante

Self-supporting structure



CONFIGURAZIONE 2050 CON SERRANDA
CONFIGURATION 2050 WITH ROLLER SHUTTER
COD. 3DP99W10IFU

*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm
* Including 40 hooks of 60 mm and 10 hooks of 80 mm



CONFIGURAZIONE BASE 2050


BASIC CONFIGURATION 2050

COD. 3DP99W02IFQ


COLORAZIONI | COLORS

- Nero sablé - Anti impronta
Black sablé - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE OVERALL SIZE



DATI TECNICI TECHNICAL DATA



Cassettiera mobile 7 cassetti:

- 6x Cassetti da H 71 mm
 - 1x Cassetto da H 239 mm
- (dim. interne L 588 x P 367 mm)
4 ruote girevoli, 2 con freno

Rollercab 7 drawers:

- 6x Drawers H 71 mm
 - 1x Drawer H 239 mm
- (internal dim. W 588 x D 367 mm)
4 swivel wheels, 2 with brake

PORTATA / CAPACITY
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina

Oil/fuel proof cover

Alzatina anticaduta H 40 mm

Fall-protection panel H 40 mm

Armadio doppia anta
L 800 x P 700 x H 930

*Two-door cabinet
W 800 x D 700 x H 930*

Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore
corrente 10 mt 1600 W e portacarta
L 433 x P 700 x H 930

*Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt
1600 W and paper holder
W 433 x D 700 x H 930*

Cassettiera mobile 7 cassetti con
n° 2 portaflaconi. Piano in ABS
L 800 x P 475 x H 930
(dim. interne L 588 x P 367 mm)

*Rollercab 7 drawers with n° 2 holders.
ABS worktop
W 800 x D 475 x H 930
(internal dim. W 588 x D 367 mm)*

* Utensili non inclusi / *Tools not included*





Struttura autoportante
Self-supporting structure

Pannelli forati portautensili
L 1024 x P 25 x H 450
Perforated tool panels
W 1024 x D 25 x H 450



CONFIGURAZIONE 2050 CON PANNELLI FORATI
CONFIGURATION 2050 WITH PERFORATED PANELS
COD. 3DP99W11IFU

*Inclusi 40 ganci lunghezza 40 mm
*Including 40 hooks length 40 mm



CONFIGURAZIONE 2050 CON PENSILI A DUE ANTE
CONFIGURATION 2050 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W12IFU

Pensili a due ante
L 1024 x P 350 x H 450
Two-door wall cabinets
W 1024 x D 350 x H 450

Pannelli ciechi
L 1024 x P 25 x H 450
Solid panels
W 1024 x D 25 x H 450



Struttura autoportante
Self-supporting structure

Serranda con avvolgibile in alluminio
L 2050 x P 200 x H 900



Aluminium roller shutter unit
W 2050 x D 200 x H 900

Pannelli forati portautensili interni
Perforated internal tool panels

Perforated internal tool panels

CONFIGURAZIONE 2050 CON SERRANDA
CONFIGURATION 2050 WITH ROLLER SHUTTER
COD. 3DP99W13IFU

*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm
* Including 40 hooks of 60 mm and 10 hooks of 80 mm




CONFIGURAZIONE BASE 2400
BASIC CONFIGURATION 2400

COD. 3DP99W03IFR


COLORAZIONI | COLORS

- Nero sablè - Anti impronta
Black sablè - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE
OVERALL SIZE




DATI TECNICI
TECHNICAL DATA



Modulo spazzatura + Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e portacarta
L 800 x P 700 x H 930
• dim. interne L 260 x P 300 x H 550 mm

Garbage module + Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt 1600 W and paper holder
W 800 x D 700 x H 930
• internal dim. W 260 x D 300 x H 550 mm

PORTATA / CAPACITY
45 kg per ogni cassetto / 45 kg for each drawer



Tappeto anti olio/benzina
Oil/fuel proof cover

Alzatina anticaduta H 40 mm
Fall-protection panel H 40 mm

Armadio doppia anta
L 800 x P 700 x H 930
Two-door cabinet
W 800 x D 700 x H 930

Modulo spazzatura + Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e portacarta
L 800 x P 700 x H 930

Garbage module + Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt 1600 W and paper holder
W 800 x D 700 x H 930


Modulo 6 cassetti
L 800 x P 700 x H 930
(dim. interne L 588 x P 567)

6 drawers module
W 800 x D 700 x H 930
(internal dim. W 588 x D 567)

* Utensili non inclusi / Tools not included

Struttura autoportante
Self-supporting structure


Pannelli forati portautensili
L 1024 x P 25 x H 450
Perforated tool panels
W 1024 x D 25 x H 450



CONFIGURAZIONE 2400 CON PENSILI A DUE ANTE
CONFIGURATION 2400 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W15IFV

CONFIGURAZIONE 2400 CON PANNELLI FORATI
CONFIGURATION 2400 WITH PERFORATED PANELS
COD. 3DP99W14IFV

*Inclusi 60 ganci lunghezza 40 mm
*Including 60 hooks length 40 mm



Pensili a due ante
L 800 x P 350 x H 450
Two-door wall cabinets
W 800 x D 350 x H 450

Pannelli ciechi
L 800 x P 25 x H 450
Solid panels
W 800 x D 25 x H 450




CONFIGURAZIONE BASE 2850
BASIC CONFIGURATION 2850

COD. 3DP99W04IFS


COLORAZIONI | COLORS

- Nero sablè - Anti impronta
Black sablè - Fingerprint-proof
- Alluminio semilucido
Semi gloss aluminium

DIMENSIONI COMPLESSIVE
OVERALL SIZE



DATI TECNICI
TECHNICAL DATA



Armadio doppia anta
• dim. interne L 790 x P 670 x H 685 mm
Piano interno regolabile a 7 altezze con passo di 100 mm

Two-door cabinet
• internal dim. W 790 x D 670 x H 685 mm
Internal shelf adjustable to 7 heights with 100 mm steps

PORTATA / CAPACITY
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina
Oil/fuel proof cover

Servizi arrotolatore aria 8 mt M. 3/8" BSP,
arrotolatore corrente 10 mt 1600 W e portacarta
L 433 x P 700 x H 930
*Services air reel 8 mt M. 3/8" BSP, electrical reel
10 mt 1600 W and paper holder
W 433 x D 700 x H 930*

Modulo 4 cassetti
L 800 x P 700 x H 930
(dim. interne L 588 x P 567)
*4 drawers module
W 800 x D 700 x H 930
(internal dim. W 588 x D 567)*


* Utensili non inclusi / Tools not included

Alzatina anticaduta H 40 mm
Fall-protection panel H 40 mm



Armadio doppia anta
L 800 x P 700 x H 930
*Two-door cabinet
W 800 x D 700 x H 930*

Cassettiera mobile 7 cassetti con
n° 2 portaflaconi. Piano in ABS
L 800 x P 475 x H 930
(dim. interne L 588 x P 367 mm)
*Rollercab 7 drawers with n° 2 holders.
ABS worktop
W 800 x D 475 x H 930
(internal dim. W 588 x D 367 mm)*


* Utensili non inclusi / Tools not included



CONFIGURAZIONE 2850 CON PANNELLI FORATI
CONFIGURATION 2850 WITH PERFORATED PANELS
COD. 3DP99W16IFW



*Inclusi 60 ganci lunghezza 40 mm
*Including 60 hooks length 40 mm



CONFIGURAZIONE 2850 CON PENSILI A DUE ANTE
CONFIGURATION 2850 WITH TWO-DOOR WALL CABINETS
COD. 3DP99W17IFW



Pierangelo Ferrari
+39 347 149 5808
pierangelo.ferrari@3dbeta.it
IT-EN



3D Beta S.r.l.
20853 Biassono (MB) - ITALY
Via delle Industrie, 38
+39 039 492370
www.3dbeta.it