




**CATALOGO  
CONFIGURAZIONI  
STANDARD**

***STANDARD  
CONFIGURATION  
CATALOGUE***




## CONFIGURAZIONE BASE 1600 BASIC CONFIGURATION 1600

COD. 3DP99W00IEX


### COLORAZIONI | COLORS

- Nero sablè - Anti impronta  
*Black sablè - Fingerprint-proof*
- Alluminio semilucido  
*Semi gloss aluminium*

### DIMENSIONI COMPLESSIVE OVERALL SIZE



### DATI TECNICI TECHNICAL DATA



#### Modulo 6 cassetti:

- 4x Cassetti da H 71 mm
- 1x Cassetto da H 142 mm
- 1x Cassetto da H 239 mm
- (dim. interne L 588 x P 567 mm)

#### 6 drawers module:

- 4x Drawers H 71 mm
- 1x Drawer H 142 mm
- 1x Drawer H 239 mm
- (internal dim. W 588 x D 567 mm)

**PORTATA / CAPACITY**  
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina  
*Oil/fuel proof cover*

Modulo spazzatura + Servizi arrotolatore aria 8 mt  
M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e  
portacarta  
L 800 x P 700 x H 930


*Garbage module + Services air reel 8 mt M. 3/8"  
BSP, electrical reel 10 mt 1600 W and paper  
holder  
W 800 x D 700 x H 930*

Alzatina anticaduta H 40 mm  
*Fall-protection panel H 40 mm*



Modulo 6 cassetti  
L 800 x P 700 x H 930  
(dim. interne L 588 x P 567)


*6 drawers module  
W 800 x D 700 x H 930  
(internal dim. W 588 x D 567)*



\* Utensili non inclusi / *Tools not included*

Struttura autoportante  
Self-supporting structure


Pannelli forati portautensili  
L 800 x P 25 x H 450  
Perforated tool panels  
W 800 x D 25 x H 450



**CONFIGURAZIONE 1600 CON PENSILI A DUE ANTE**  
**CONFIGURATION 1600 WITH TWO-DOOR WALL CABINETS**  
COD. 3DP99W05IFT

**CONFIGURAZIONE 1600 CON PANNELLI FORATI**  
**CONFIGURATION 1600 WITH PERFORATED PANELS**  
COD. 3DP99W06IFT

\*Inclusi 40 ganci lunghezza 40 mm  
\*Including 40 hooks length 40 mm



Pensili a due ante  
L 800 x P 350 x H 450  
Two-door wall cabinets  
W 800 x D 350 x H 450


Pannelli ciechi  
L 800 x P 25 x H 450  
Solid panels  
W 800 x D 25 x H 450





**CONFIGURAZIONE 1600 CON SERRANDA**  
**CONFIGURATION 1600 WITH ROLLER SHUTTER**  
COD. 3DP99W07IFT



\*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm  
\* Including 40 hooks of 60 mm and 10 hooks of 80 mm




## CONFIGURAZIONE BASE 2050 BASIC CONFIGURATION 2050

COD. 3DP99W011FQ


### COLORAZIONI | COLORS

-  Nero sablè - Anti impronta  
*Black sablè - Fingerprint-proof*
-  Alluminio semilucido  
*Semi gloss aluminium*

### DIMENSIONI COMPLESSIVE OVERALL SIZE



### DATI TECNICI TECHNICAL DATA



#### Cassettiera mobile 7 cassetti:

- 6x Cassetti da H 71 mm
- 1x Cassetto da H 239 mm
- (dim. interne L 588 x P 367 mm)
- 4 ruote girevoli, 2 con freno

#### Rollercab 7 drawers:

- 6x Drawers H 71 mm
- 1x Drawer H 239 mm
- (internal dim. W 588 x D 367 mm)
- 4 swivel wheels, 2 with brake

 **PORTATA / CAPACITY**  
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina

*Oil/fuel proof cover*


Alzatina anticaduta H 40 mm

*Fall-protection panel H 40 mm*

Cassettiera mobile 7 cassetti con  
n° 2 portaflaconi. Piano in ABS  
L 800 x P 475 x H 930  
(dim. interne L 588 x P 367 mm)

*Rollercab 7 drawers with n° 2 holders.  
ABS worktop  
W 800 x D 475 x H 930  
(internal dim. W 588 x D 367 mm)*

\* Utensili non inclusi / *Tools not included*



Maniglie in alluminio


*Aluminium handles*

Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore  
corrente 10 mt 1600 W e portacarta  
L 433 x P 700 x H 930

*Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt  
1600 W and paper holder  
W 433 x D 700 x H 930*


Modulo 4 cassetti  
L 800 x P 700 x H 930  
(dim. interne L 588 x P 567 mm)

*4 drawers module  
W 800 x D 700 x H 930  
(internal dim. W 588 x D 567 mm)*



Struttura autoportante  
Self-supporting structure


Pannelli forati portautensili  
L 1024 x P 25 x H 450  
Perforated tool panels  
W 1024 x D 25 x H 450



**CONFIGURAZIONE 2050 CON PENSILI A DUE ANTE**  
**CONFIGURATION 2050 WITH TWO-DOOR WALL CABINETS**  
COD. 3DP99W09IFU

**CONFIGURAZIONE 2050 CON PANNELLI FORATI**  
**CONFIGURATION 2050 WITH PERFORATED PANELS**  
COD. 3DP99W08IFU

\*Inclusi 40 ganci lunghezza 40 mm  
\*Including 40 hooks length 40 mm



Pensili a due ante  
L 1024 x P 350 x H 450  
Two-door wall cabinets  
W 1024 x D 350 x H 450

Pannelli ciechi  
L 1024 x P 25 x H 450  
Solid panels  
W 1024 x D 25 x H 450



Serranda con avvolgibile in alluminio  
L 2050 x P 200 x H 900

Aluminium roller shutter unit  
W 2050 x D 200 x H 900

Pannelli forati portautensili interni



Perforated internal tool panels

Struttura autoportante  
Self-supporting structure



**CONFIGURAZIONE 2050 CON SERRANDA**  
**CONFIGURATION 2050 WITH ROLLER SHUTTER**  
COD. 3DP99W10IFU



\*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm  
\* Including 40 hooks of 60 mm and 10 hooks of 80 mm




## CONFIGURAZIONE BASE 2050 BASIC CONFIGURATION 2050

COD. 3DP99W02IFQ


### COLORAZIONI | COLORS

-  Nero sablè - Anti impronta  
*Black sablè - Fingerprint-proof*
-  Alluminio semilucido  
*Semi gloss aluminium*

### DIMENSIONI COMPLESSIVE OVERALL SIZE



### DATI TECNICI TECHNICAL DATA



#### Cassettiera mobile 7 cassetti:

- 6x Cassetti da H 71 mm
  - 1x Cassetto da H 239 mm  
(dim. interne L 588 x P 367 mm)
- 4 ruote girevoli, 2 con freno

#### Rollercab 7 drawers:

- 6x Drawers H 71 mm
  - 1x Drawer H 239 mm  
(internal dim. W 588 x D 367 mm)
- 4 swivel wheels, 2 with brake



**PORTATA / CAPACITY**  
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina

*Oil/fuel proof cover*

Alzatina anticaduta H 40 mm

*Fall-protection panel H 40 mm*

Armadio doppia anta  
L 800 x P 700 x H 930

*Two-door cabinet  
W 800 x D 700 x H 930*




Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore  
corrente 10 mt 1600 W e portacarta  
L 433 x P 700 x H 930

*Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt  
1600 W and paper holder  
W 433 x D 700 x H 930*

Cassettiera mobile 7 cassetti con  
n° 2 portaflaconi. Piano in ABS  
L 800 x P 475 x H 930  
(dim. interne L 588 x P 367 mm)



*Rollercab 7 drawers with n° 2 holders.  
ABS worktop  
W 800 x D 475 x H 930  
(internal dim. W 588 x D 367 mm)*



\* Utensili non inclusi / *Tools not included*

Struttura autoportante  
Self-supporting structure



Pannelli forati portautensili  
L 1024 x P 25 x H 450  
Perforated tool panels  
W 1024 x D 25 x H 450



**CONFIGURAZIONE 2050 CON PENSILI A DUE ANTE**  
**CONFIGURATION 2050 WITH TWO-DOOR WALL CABINETS**  
COD. 3DP99W12IFU

**CONFIGURAZIONE 2050 CON PANNELLI FORATI**  
**CONFIGURATION 2050 WITH PERFORATED PANELS**  
COD. 3DP99W11IFU

\*Inclusi 40 ganci lunghezza 40 mm  
\*Including 40 hooks length 40 mm



Pensili a due ante  
L 1024 x P 350 x H 450  
Two-door wall cabinets  
W 1024 x D 350 x H 450

Pannelli ciechi  
L 1024 x P 25 x H 450  
Solid panels  
W 1024 x D 25 x H 450



Serranda con avvolgibile in alluminio  
L 2050 x P 200 x H 900  
Aluminium roller shutter unit  
W 2050 x D 200 x H 900

Pannelli forati portautensili interni  
Perforated internal tool panels

Struttura autoportante  
Self-supporting structure





Beta



**CONFIGURAZIONE 2050 CON SERRANDA**  
**CONFIGURATION 2050 WITH ROLLER SHUTTER**  
COD. 3DP99W13IFU

\*Inclusi 40 ganci da 60 mm e 10 ganci da 80 mm  
\* Including 40 hooks of 60 mm and 10 hooks of 80 mm




## CONFIGURAZIONE BASE 2400 BASIC CONFIGURATION 2400

COD. 3DP99W03IFR


### COLORAZIONI | COLORS

- Nero sablè - Anti impronta  
*Black sablè - Fingerprint-proof*
- Alluminio semilucido  
*Semi gloss aluminium*

### DIMENSIONI COMPLESSIVE OVERALL SIZE




### DATI TECNICI TECHNICAL DATA



**Modulo spazzatura + Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e portacarta**  
L 800 x P 700 x H 930  
• dim. interne L 260 x P 300 x H 550 mm

**Garbage module + Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt 1600 W and paper holder**  
W 800 x D 700 x H 930  
• Internal dim. W 260 x D 300 x H 550 mm

**PORTATA / CAPACITY**  
45 kg per ogni cassetto / 45 kg for each drawer



**Modulo spazzatura + Servizi arrotolatore aria 8 mt M. 3/8" BSP, arrotolatore corrente 10 mt 1600 W e portacarta**  
L 800 x P 700 x H 930

**Garbage module + Services air reel 8 mt M. 3/8" BSP, electrical reel 10 mt 1600 W and paper holder**  
W 800 x D 700 x H 930


**Modulo 6 cassetti**  
L 800 x P 700 x H 930  
(dim. interne L 588 x P 567)

*6 drawers module  
W 800 x D 700 x H 930  
(internal dim. W 588 x D 567)*

\* Utensili non inclusi / *Tools not included*

Struttura autoportante  
Self-supporting structure


Pannelli forati portautensili  
L 1024 x P 25 x H 450  
Perforated tool panels  
W 1024 x D 25 x H 450



**CONFIGURAZIONE 2400 CON PENSILI A DUE ANTE**  
**CONFIGURATION 2400 WITH TWO-DOOR WALL CABINETS**  
COD. 3DP99W15IFV

**CONFIGURAZIONE 2400 CON PANNELLI FORATI**  
**CONFIGURATION 2400 WITH PERFORATED PANELS**  
COD. 3DP99W14IFV

\*Inclusi 60 ganci lunghezza 40 mm  
\*Including 60 hooks length 40 mm



Pensili a due ante  
L 800 x P 350 x H 450  
Two-door wall cabinets  
W 800 x D 350 x H 450



Pannelli ciechi  
L 800 x P 25 x H 450  
Solid panels  
W 800 x D 25 x H 450




## CONFIGURAZIONE BASE 2850 BASIC CONFIGURATION 2850

COD. 3DP99W04IFS


### COLORAZIONI | COLORS

-  Nero sablè - Anti impronta  
*Black sablè - Fingerprint-proof*
-  Alluminio semilucido  
*Semi gloss aluminium*

### DIMENSIONI COMPLESSIVE OVERALL SIZE



### DATI TECNICI TECHNICAL DATA




#### Armadio doppia anta

- dim. interne L 790 x P 670 x H 685 mm
- Piano interno regolabile a 7 altezze con passo di 100 mm

#### Two-door cabinet

- internal dim. W 790 x D 670 x H 685 mm
- Internal shelf adjustable to 7 heights with 100 mm steps

 **PORTATA / CAPACITY**  
45 kg per ogni cassetto / 45 kg for each drawer

Tappeto anti olio/benzina  
*Oil/fuel proof cover*

Servizi arrotolatore aria 8 mt M. 3/8" BSP,  
arrotolatore corrente 10 mt 1600 W e portacarta  
L 433 x P 700 x H 930

*Services air reel 8 mt M. 3/8" BSP, electrical reel  
10 mt 1600 W and paper holder  
W 433 x D 700 x H 930*

Modulo 4 cassette  
L 800 x P 700 x H 930  
(dim. interne L 588 x P 567)

*4 drawers module  
W 800 x D 700 x H 930  
(internal dim. W 588 x D 567)*

\* Utensili non inclusi / *Tools not included*

Alzatina anticaduta H 40 mm  
*Fall-protection panel H 40 mm*




Armadio doppia anta  
L 800 x P 700 x H 930


*Two-door cabinet  
W 800 x D 700 x H 930*

Cassettiera mobile 7 cassette con  
n° 2 portaflaconi. Piano in ABS  
L 800 x P 475 x H 930  
(dim. interne L 588 x P 367 mm)



*Rollercab 7 drawers with n° 2 holders.  
ABS worktop  
W 800 x D 475 x H 930  
(internal dim. W 588 x D 367 mm)*

\* Utensili non inclusi / *Tools not included*






**CONFIGURAZIONE 2850 CON PANNELLI FORATI**  
**CONFIGURATION 2850 WITH PERFORATED PANELS**  
COD. 3DP99W16IFW



\*Inclusi 60 ganci lunghezza 40 mm  
\*Including 60 hooks length 40 mm



**CONFIGURAZIONE 2850 CON PENSILI A DUE ANTE**  
**CONFIGURATION 2850 WITH TWO-DOOR WALL CABINETS**  
COD. 3DP99W17IFW



Pierangelo Ferrari  
+39 347 149 5808  
pierangelo.ferrari@3dbeta.it  
IT-EN



3D Beta S.r.l.  
20853 Biassono (MB) - ITALY  
Via delle Industrie, 38  
+39 039 492370  
www.3dbeta.it